

Pedalinx Bike Shop - Mississauga  
905 997 4700  
3221 Derry Road West Mississauga, ON  
L5N 7L7  
store@pedalinx.com

Phone: - Email:

Pedalinx Bike Shop - Toronto  
647 348 2453  
531 College St, Toronto, ON  
M6G 1A8  
college@pedalinx.com

---

## SPECIALIZED TURBO 2015

**Brand:** Specialized  
**Product Code:** 95015-7402  
**Availability:** In Stock



**Price:** ~~\$4,549.99~~ **\$2,999.99**

### Short Description

Top speed of 45 kph

### Description

**Dream Silver/Satin Black**

The Specialized Turbo combines speed and style through an innovative electric-assist motor, advanced electronics, and sleek design. Capable of a top speed of 45 kph / 28 mph, the Turbo delivers superhuman power to anyone who rides it.

- Sleek and sturdy alloy frame with Performance Geometry designed for

high-speed riding

- Oversized alloy fork is strong and responsive—even at 45 kph / 28 mph
- Direct Drive rear hub motor provides uber efficient power no matter the terrain
- Wireless interface unit with illuminated display to show key ride data
- Finest quality Li-Ion battery pulls maximum power w/ superfast charging times
- Specialized Electrak Armadillo tires for performance and durability no matter the speed
- Body Geometry Turbo saddle keeps your comfortable for the fastest rides

## Geometry

|                                     | SM     | MD     | LG     | XL     |
|-------------------------------------|--------|--------|--------|--------|
| STEM LENGTH                         | 80mm   | 80mm   | 90mm   | 100mm  |
| CRANK LENGTH                        | 170mm  | 175mm  | 175mm  | 175mm  |
| HANDLE-BAR WIDTH                    | 580mm  | 580mm  | 580mm  | 580mm  |
| WHEELBASE                           | 1060mm | 1078mm | 1093mm | 1119mm |
| SEAT-TUBE LENGTH, B-B CENTER TO TOP | 420mm  | 460mm  | 500mm  | 540mm  |
| HEAD-TUBE LENGTH                    | 179mm  | 189mm  | 204mm  | 230mm  |
| TOP-TUBE LENGTH, HORIZONTAL         | 577mm  | 595mm  | 610mm  | 635mm  |
| FRONT-CENTER                        | 614mm  | 632mm  | 647mm  | 672mm  |
| HEAD-TUBE ANGLE                     | 71°    | 71°    | 71°    | 71°    |
| FORK RAKE                           | 43mm   | 43mm   | 43mm   | 43mm   |
| TRAIL                               | 75mm   | 75mm   | 75mm   | 75mm   |
| STAND-OVER HEIGHT                   | 743mm  | 794mm  | 827mm  | 866mm  |
| CHAIN-STAY LENGTH                   | 455mm  | 455mm  | 455mm  | 455mm  |

|                     |       |       |       |       |
|---------------------|-------|-------|-------|-------|
| SEAT-TUBE<br>ANGLE  | 72°   | 72°   | 72°   | 72°   |
| B-B DROP            | 70mm  | 70mm  | 70mm  | 70mm  |
| SEAT-POST<br>LENGTH | 350mm | 350mm | 350mm | 350mm |

### Specification

|       |  |
|-------|--|
| Frame |  |
| O/S   |  |