

Pedalinx Bike Shop - Mississauga
905 997 4700
3221 Derry Road West Mississauga, ON
L5N 7L7
store@pedalinx.com

Phone: - Email:

Pedalinx Bike Shop - Toronto
647 348 2453
531 College St, Toronto, ON
M6G 1A8
college@pedalinx.com

SPECIALIZED SIRRUS

Brand: Specialized
Product Code: 80918-7106
Availability: In Stock



Price: \$799.00

Short Description

Charcoal/Candy Red/Black Reflective

Description

If you're going to get in shape you need to move, and nothing wants to help you move faster than our Sirrus Disc. It takes a no-nonsense approach to its design, giving you everything that you need, like superior braking, and nothing that you don't.

It's constructed from a durable, reliable, and lightweight A1 Premium Aluminum, and it features a reliable set of components that are built to withstand years of daily abuse, powerful hydraulic disc brakes that provide reliable stopping power in any condition, and comforting Body Geometry touch points that are sure to take the sting out of long rides. Complacency just met its match.

- Working with our Body Geometry team, we designed a frame that strikes the optimal balance between comfort and efficiency. The A1 SL Premium Aluminum construction pairs weight savings with rugged durability, while the rack, fender, and disc mounts give you an incredibly versatile package.
- A Specialized Canopy Comp saddle offers plenty of support and cushion to ensure you're comfortable out on the road.
- Promax F1 hydraulic disc brakes are spec'd on this Sirrus to ensure consistent, powerful braking.

Geometry

	S	M	L	XL	XXL
CRANK LENGTH	170MM	170MM	170MM	175MM	175MM
STEM LENGTH	80mm	90mm	100mm	100mm	110mm
SEATPOST LENGTH	300mm	350mm	350mm	350mm	350mm
SADDLE WIDTH	155mm	155mm	155mm	155mm	155mm
HANDLEBAR WIDTH	580mm	580mm	600mm	620mm	620mm
REACH	388mm	400mm	402mm	414mm	426mm
TOP TUBE LENGTH, HORIZONTAL	555mm	576mm	583mm	604mm	631mm
STACK	564mm	593mm	611mm	639mm	670mm
WHEELBASE	1057mm	1069mm	1072mm	1087mm	1109mm
CHAINSTAY LENGTH	440mm	440mm	440mm	440mm	440mm
FRONT CENTER	626mm	638mm	641mm	656mm	679mm
BB DROP	70mm	70mm	70mm	70mm	70mm
BB HEIGHT	275mm	275mm	275mm	275mm	275mm
SEAT TUBE ANGLE	73.5°	73.5°	73.5°	73.5°	73°
HEAD TUBE ANGLE	70°	71°	71.5°	72°	72°

ANGLE					
SEAT TUBE LENGTH	415mm	455mm	495mm	535mm	565mm
HEAD TUBE LENGTH	153mm	179mm	196mm	223mm	256mm
BIKE STAND OVER HEIGHT	735mm	775mm	805mm	845mm	875mm
FORK RAKE /OFFSET	51mm	51mm	51mm	51mm	51mm
FORK LENGTH, FULL	390mm	390mm	390mm	390mm	390mm
TRAIL	72mm	65mm	62mm	59mm	59mm

Specifications

BOTTOM BRACKET CHAIN	68mm, square taper, 124.5mm length KMC X8 w/ Missing Link™, 8-speed
CRANKSET	Shimano Tourney, TY501
SHIFT LEVERS	Shimano Acera, 8-speed
FRONT DERAILLEUR	Shimano Tourney, 3-speed, top-swing
CASSETTE	Shimano Altus, 8-speed, 11-32t
CHAINRINGS	48/38/28T
REAR DERAILLEUR	Shimano Altus, 7-/8-speed
SUSPENSION	
FORK	Steel, flat-mount disc, 1-1/8" steerer, QR, Plug + Play rack/fender mounts
COCKPIT	
SADDLE	Specialized Canopy Sport, steel rails, 155mm
SEAT BINDER	Bolt-type, 31.8mm
SEATPOST	Alloy, 12mm offset, 2-bolt clamp, 27.2mm
HANDLEBARS	Double-buttressed alloy, 9-degree backsweep, 31.8mm
STEM	Specialized, 3D-forged alloy, 4-bolt, 7-degree rise
WHEELS & TIRES	
FRONT HUB	Alloy, 6-bolt disc, loose ball bearing,

REAR HUB	quick-release, 32h Alloy, 6-bolt disc, loose ball bearings, quick-release, 8-/9-speed freehub, 32h
INNER TUBES	Schrader valve
SPOKES	Stainless, 14g
RIMS	700C disc, double-wall alloy, 22mm depth, 21mm internal width, disc-specific
FRONT TIRE	Specialized Nimbus II Sport Reflect, 60TPI, wire bead w/ Black Belt protection, 700x32mm
REAR TIRE	Specialized Nimbus II Sport Reflect, 60TPI, wire bead w/ Black Belt protection, 700x32mm
BRAKES	
FRONT BRAKE	Promax F1, hydraulic disc, flat-mount, 160mm
REAR BRAKE	Promax F1, hydraulic disc, flat-mount, 140mm
ACCESSORIES	
PEDALS	Specialized Body Geometry Fitness, platform, plastic
FRAMESET	
FRAME	Specialized A1 SL Premium Aluminum, Fitness Geometry, fully manipulated butted tubing, internal cable routing, flat- mount disc, quick-release, Plug + Play rack/fender mounts

* Specifications are subject to change without notice