

Pedalinx Bike Shop - Mississauga  
905 997 4700  
3221 Derry Road West Mississauga, ON  
L5N 7L7  
store@pedalinx.com

Phone: - Email:

Pedalinx Bike Shop - Toronto  
647 348 2453  
531 College St, Toronto, ON  
M6G 1A8  
college@pedalinx.com

---

## SPECIALIZED RH PRO 1X 29

**Brand:** Specialized  
**Product Code:** 91219-10  
**Availability:** In Stock



**Price: \$1,649.00**

### Short Description

Satin Gloss Black/Chrome

### Description

If you're ready to take your trail riding to the next level, let us introduce you to your new friend, the Rockhopper Pro 29 with a one-by groupset. We built it to be light, durable, and exceedingly capable, but how we did it is far more interesting.

- The frame is constructed from lightweight A1 SL Aluminum in order to provide a compliant, durable platform to support our acclaimed XC Sport 29 Geometry. Combined, you get a bike that's more than efficient on climbs and descends just as well.
- A RockShox Recon RL fork offers 80/90/100mm (size-specific) of plush, trail taming travel, and stiff 32mm stanchions.
- When set up one-by, the Shimano SLX shifting makes it nearly

impossible to drop a chain. Of course, you still get the clean, crisp shifts that Shimano is known for, too.

## Geometry

	XS	S	M	L	XL	XXL
CRANK LENGTH	165MM	170mm	175mm	175mm	175mm	175mm
STEM LENGTH	45MM	60MM	70MM	70MM	90MM	90MM
SEATPOST LENGTH	350MM	350MM	400MM	400MM	400MM	400MM
SADDLE WIDTH	143mm	143mm	143mm	143mm	143mm	143mm
HANDLEBAR WIDTH	750MM	750MM	750MM	750MM	750MM	750MM
REACH	380mm	395mm	418mm	441mm	462mm	474mm
TOP TUBE LENGTH, HORIZONTAL	548mm	567mm	594mm	622mm	648mm	660mm
STACK	586mm	595mm	605mm	619mm	633mm	633mm
WHEELBASE	1065mm	1084mm	1110mm	1138mm	1164mm	1176mm
CHAINSTAY LENGTH	440mm	440mm	440mm	440mm	440mm	440mm
FRONT CENTER	631mm	650mm	676mm	704mm	730mm	742mm
BB DROP	57.5mm	57.5mm	57.5mm	57.5mm	57.5mm	57.5mm
BB HEIGHT	312.5mm	312.5mm	312.5mm	312.5mm	312.5mm	312.5mm
SEAT TUBE ANGLE	74°	73.9°	73.8°	73.7°	73.6°	73.6°
HEAD TUBE ANGLE	69.8°	69.8°	69.8°	69.8°	69.8°	69.8°
SEAT TUBE LENGTH	370mm	400mm	430mm	470mm	520mm	560mm

HEAD TUBE LENGTH	95mm	95mm	95mm	110mm	125mm	125mm
BIKE STAND OVER HEIGHT	719mm	765mm	776mm	807mm	837mm	861mm
FORK RAKE/OFFSET	51mm	51mm	51mm	51mm	51mm	51mm
FORK LENGTH, FULL	486mm	496mm	506mm	506mm	506mm	506mm
TRAIL	82mm	82mm	82mm	82mm	82mm	82mm

## Specifications

DRIVETRAIN	
CHAIN	KMC X11, 11-speed w/ Missing Link™
BOTTOM BRACKET	BSA for 24mm spindle
CRANKSET	Stout Pro, forged alloy
SHIFT LEVERS	Shimano SLX, 11-speed
CASSETTE	SunRace, 11-speed, 11-46t
CHAINRINGS	Alloy, 30T
REAR DERAILLEUR	Shimano SLX, Shadow Plus, 11-speed
SUSPENSION	
FORK	RockShox Recon RL, Solo Air, Boost™, 51mm offset, 80/90/100mm of travel
COCKPIT	
SEAT BINDER	Alloy, QR clamp, 34.9mm
SADDLE	Henge Sport, steel rails, 143mm
SEATPOST	Alloy, 12mm offset, 2-bolt clamp, 30.9mm
STEM	Stout 3D-forged alloy, 31.8mm, 6-degree rise
HANDLEBARS	Stout XC, double-buttressed alloy, 8-degree backsweep, 6-degree upsweep, 10mm rise, 31.8mm
GRIPS	Specialized Sip Grip, half-waffle, S/M: regular thickness, L/XL: XL thickness
WHEELS & TIRES	
FRONT HUB	Shimano, Center Lock™ disc, 9x100mm

REAR HUB	spacing, quick-release, 28h Shimano, Center Lock™ disc, 9x141mm
INNER TUBES	spacing, quick-release, 32h Presta, 40mm valve
SPOKES	Stainless, 14g
RIMS	Stout XC 29, 25mm internal width, disc-specific
FRONT TIRE	Ground Control Sport, 29x2.3"
REAR TIRE	Fast Trak Sport, 29x2.1"
BRAKES	
FRONT BRAKE	Shimano BR-MT200, hydraulic disc, 160/180mm
REAR BRAKE	Shimano BR-MT200, hydraulic disc, 160mm
ACCESSORIES	
PEDALS	Specialized Dirt
FRAMESET	
FRAME	A1 SL Aluminum, Sport XC 29 Geometry, tapered head tube, internal cable routing, Boost QR 141x9mm forged dropouts, chainstay-mounted disc brake, replaceable alloy derailleur hanger

\* Specifications are subject to change without notice